

Bibliography and References Cited

1. Burke, J. M., S. J. Knapp and L. H. Rieseberg, *Genetic consequences of selection during the evolution of cultivated sunflower*. *Genetics*, 2005. 171: p. 1933-1940.
2. Bermudez L, Urias U, Milstein D, Kamenetzky L, Asis R, Fernie AR, Van Sluys MA, Carrari F, Rossi M: *A candidate gene survey of quantitative trait loci affecting chemical composition in tomato fruit*. *Journal of Experimental Botany* 2008, 59(10):2875-2890.
3. Bradshaw, J.; Hackett, C.; Pande, P.; Waugh, R.; Bryan, G., *QTL Mapping of Yield, Agronomic and Quality Traits in Tetraploid Potato (Solanum tuberosum subsp. Tuberosum)*. 2008. 116(2): p.193-211
4. Brewer, M.T., Lang, L., Fujimura, K., Dujmovic, N., Gray, S., and van der Knaap, E. 2006. *Development of a controlled vocabulary and software application to analyze fruit shape variation in tomato and other plant species*. *Plant Physiology*, 2006, 141, 15-25
5. Causse, M.; Duffe, P.; Gomez, M. C.; Buret, M.; Damidaux, R.; Zamir, D.; Gur, A.; Chevalier, C.; Lemaire-Chamley, M.; Rothan, C., *A genetic map of candidate genes and QTLs involved in tomato fruit size and composition*. *Journal of Experimental Botany*, 2004. 55(403): p. 1671-1685.
6. Chen, X.; Salamini, F.; Gebhardt, C., *A potato molecular function map for carbohydrate metabolism and transport*. *Theoretical and Applied Genetics*, 2001. 102: p. 284-295.
7. Coaker, G. and D. Francis, *Mapping, Genetic Effects, and Epistatic Interaction of Two Bacterial Canker Resistance QTLs from Lycopersicon hirsutum*. *Theoretical and Applied Genetics*, 2004. 108: p. 1047-1055.
8. Crepieux, S.; Lebreton, C.; Flament, P.; Charmet, G., *Application of a new IBD-based QTL mapping method to common wheat breeding population: analysis of kernel hardness and dough strength*. *Theoretical and Applied Genetics*, 2005. 111(7): p. 1409-1419.
9. Crepieux, S.; Lebreton, C.; Servin, B.; Charmet, G., *IBD-based QTL detection in inbred pedigrees: a case study of cereal breeding programs*. *Euphytica*, 2004. 137: p. 101-109.
10. D'hoop, B.; Paulo, M.; Mank, R.; van Eck, H.; van Eeuwijk, F., 2008. *Association mapping of quality traits in potato (Solanum tuberosum L.)* *Euphytica* 161:47–60
11. Darrigues, A., J. Hall, N. Dujmovic, S. Gray, E. van der Knaap, and D. M. Francis. 2008. *Tomato Analyzer – Color Test: a new tool for efficient digital phenotyping*. *J. Amer. Soc. Hort. Sci.* 133(4):579–586.
12. De Jong, W. S.; De Jong, D. M. ; Bodis, M., *A fluorogenic 5' nuclease (TaqMan) assay to assess dosage of a marker tightly linked to red skin color in autotetraploid potato*. *Theoretical and Applied Genetics*, 2003. 107(1384-1390).
13. De Jong, W. S.; De Jong, D. M.; De Jong, H.; Kalazich, J.; Bodis, M., *An allele of dihydroflavonol 4-reductase associated with the ability to produce red anthocyanin*

- pigments in potato (Solanum tuberosum L.)*. Theoretical and Applied Genetics, 2003. 107: p. 1375-1383.
14. Douches, D.S. and R. Freyre, *Identification of genetic factors influencing chip color in diploid potato (Solanum spp.)*. American Potato Journal, 1994. 71: p. 581-590.
 15. Elliott, K. J.; Butler, W. O.; Dickinson, C. D.; Konno, Y.; Vedvick, T. S.; Fitzmaurice, L.; Mirkov, T. E., *Isolation and characterization of fruit vacuolar invertase genes from two tomato species and temporal differences in mRNA levels during fruit ripening*. Plant Molecular Biology, 1993. 21(3): p. 515-524.
 16. Flinn, B.; Rothwell, C.; Griffiths, R.; Lague, M.; DeKoeyer, D.; Sardana, R.; Audy, P.; Goyer, C.; Li, X.-Q.; Wang-Pruski, G.; Regan, S., *Potato expressed sequence tag generation and analysis using standard and unique cDNA libraries*. Plant Molecular Biology, 2005. 59: p. 407-433.
 17. Fridman, E. and D. Zamir, *Functional divergence of a syntenic invertase gene family in tomato, potato, and Arabidopsis*. Plant Physiology, 2003. 131(2): p. 603-609.
 18. Fridman, E.; Liu, Y. S.; Carmel-Goren, L.; Gur, A.; Shores, M.; Pleban, T.; Eshed, Y.; Zamir, D. *Two tightly linked QTLs modify tomato sugar content via different physiological pathways*. Molecular Genetics and Genomics, 2002. 266(5): p. 821-826.
 19. Ganal, M. W.; Luerssen, H.; Polley, A.; Wolfe, M., *High-throughput SNP identification and validation in tomato and pepper, in Solanaceae genomics conference*. 2006. Madison, WI.
 20. Gaudet, M., Fara, A-G., Sabatti, M., Kuzminsky, E., Mugnossa, G. S., *Single-reaction for SNP genotyping on agarose gel by allele-specific PCR in black poplar (Populus nigra L.)*. Plant Molecular Biology Reporter, 2007. 25: p. 1-9.
 21. Gebhardt, C.; Ritter, E.; Barone, A.; Debener, T.; Walkemeier, B.; Schachtschabel, U.; Kaufmann, H.; Thompson, R. D.; Bonierbale, M. W.; Ganal, M. W.; Tanksley, S. D.; Salamini, F., *RFLP maps of potato and their alignment with the homoeologous tomato genome*. Theoretical and Applied Genetics, 1991. 83(1): p. 49-57.
 22. Geigenberger, P., *Regulation of sucrose to starch conversion in growing potato tubers*. Journal of Experimental Botany, 2003. 54: p. 457-465.
 23. Gonzalo, M.J. Brewer, M.T., Anderson, C., Sullivan, D., Gray, S., and van der Knaap, E. 2009, *Tomato Fruit Shape Analysis Using Morphometric and Morphology Attributes Implemented in Tomato Analyzer Software Program* J. Am. Soc. of Hort. Sci., 134, 77-87
 24. Hardy, O.J. and X. Vekemans, *SPAGeDi: a versatile computer program to analyse spatial genetic structure at the individual or population levels*. Molecular Ecology Notes, 2002. 2(4): p. 618-620.
 25. Heffner EL, Sorrells ME, Jannink JL: *Genomic Selection for Crop Improvement*. Crop Science 2009, 49(1):1-12.
 26. Jenkins, J.A., *The origin of the cultivated tomato*. Economic Botany, 1948. 2: p. 370-392.

27. Knapp, S.J., *Marker-assisted selection as a strategy for increasing the probability of selecting superior genotypes*. Crop Science, 1998. 38: p. 1164-1174.
28. Labate JA, Robertson LD, Wu F, Tanksley SD, Baldo AM., *EST, COSII, and arbitrary gene markers give similar estimates of nucleotide diversity in cultivated tomato (Solanum lycopersicum L.)*. Theor Appl Genet 2009, 118(5):1005-1014.
29. Labate, J.A. and A.M. Baldo, *Tomato SNP discovery by EST mining and resequencing*. Molecular Breeding, 2005. 16(4): p. 343-349.
30. Lande, R. and R. Thompson, *Efficiency of marker-assisted selection in the improvement of quantitative traits*. Genetics, 1990. 124: p. 743-756.
31. Li, L.; Paulo, M.; Strahwald, J.; Lübeck, J.; Hofferbert, H.; Tacke, E.; Junghans, H.; Wunder, J.; Draffehn, A.; van Eeuwijk, F.; and Gebhardt, C., *Natural DNA variation at candidate loci is associated with potato chip color, tuber starch content, yield and starch yield*. TAG Theoretical and Applied Genetics, 2008. 116(8):1167-1181
32. Li, L.; Strahwald, J.; Hofferbert, H.-R.; Lubeck, J.; Tacke, E.; Junghans, H.; Wunder, J.; Gebhardt, C., et al., *DNA variation at the invertase locus invGE/GF is associated with tuber quality traits in populations of potato breeding clones*. Genetics, 2005. 170: p. 813-821.
33. Li, H.; Ruan, J.; Durbin, R., *Mapping short DNA sequencing reads and calling variants using mapping quality scores*. Genome Res. 2008 Nov;18(11):1851-8. Epub 2008 Aug 19.
34. Livingstone KD, Lackney VK, Blauth JR, van Wijk R, Jahn MK., *Genome mapping in capsicum and the evolution of genome structure in the Solanaceae*. Genetics 1999, 152(3):1183-1202.
35. Malosetti, M.; G., van der Linden C.; Vosman, B.; van Eeuwijk, F. A., *A mixed-model approach to association mapping using pedigree information with an illustration of resistance to Phytophthora infestans in potato*. Genetics, 2007. 175: p. 879-889.
36. Matvienko, M., A. Kozik, and R. Michelmore, *Evaluation of technologies for constructing and sequencing cDNA libraries*, in Plant & animal genomes XVI conference. 2008: San Diego, CA.
37. Menendez, C. M.; Ritter, E.; Schafer-Pregl, R.; Walkemeier, B.; Kalde, A.; Salamini, F.; Gebhardt, C., *Cold sweetening in diploid potato: mapping quantitative trait loci and candidate genes*. Genetics, 2002. 162: p. 1423-1434.
38. Moreno-Vazquez, S.; Ochoa, O. E.; Faber, N.; Chao, S. M.; Jacobs, J. M. E.; Malsonneuve, B.; Kesseli, R. V.; Michelmore, R. W., *SNP-based codominant markers for a recessive gene conferring resistance to corky root rot (Rhizomonas suberifaciens) in lettuce (Lactuca sativa)*. Genome, 2003. 46: p. 1059-1069.
39. Nesbitt, T.C. and S.D. Tanksley, *Comparative sequencing in the genus Lycopersicon: implications for the evolution of fruit size in the domestication of cultivated tomatoes*. Genetics, 2002. 162: p. 365-379.

40. Park, Y.H., West, M. A. L. ; St.Clair, D. A. , *Evaluation of AFLPs for germplasm fingerprinting and assessment of genetic diversity in cultivars of tomato (*Lycopersicon esculentum* L.)*. Genome, 2004. 47: p. 510-518.
41. Price, A., Patterson, N. J., Plenge, R. M., Weinblatt, M. E., Shadick, N. A., and Reich, D., *Principal components analysis corrects for stratification in genome-wide association studies*. Nature Genetics, 2006. 38: p. 904-909.
42. Pritchard, J.K., Stephens, M.; Donnelly, P., *Inference of population structure using multilocus genotype data*. Genetics, 2000. 155(2): p. 945-959.
43. Rick, C.M. and J. Fobes, *Association of an allozyme with nematode resistance. Report of the Tomato Genetics Cooperative*, 1974. 24: p. 25.
44. Ronning, C. M.; Stegalkina, S.; Ascenzi, R.; Bougri, O.; Hart, A.; Utterbach, T.; Vanaken, S.; Riedmuller, S.; White, J.; Cho, J.; Perte, G.; Lee, Y.; Karamycheva, S.; Sultana, R.; Tsai, J.; Quackenbush, J.; Griffiths, H.; Restrepo, S.; Smart, C. D.; Fry, W. E.; van der Hoeven, R.; Tanksley, S.; Zhang, P.; Jin, H.; Yamamoto, M.; Baker, B.; Buell, C. R., *Comparative analyses of potato (*Solanum tuberosum*) EST libraries*. Plant Physiology, 2003. 131: p. 419-429.
45. Schafer-Pregl, R.; Ritter, E.; Concilio, L.; Hesselbach, J.; Lovatti, L.; Walkemeier, B.; Thelen, H.; Salamini, F.; Gebhardt, C., *Analysis of quantitative trait loci (QTLs) and quantitative trait alleles (QTAs) for potato tuber yield and starch content*. Theoretical and Applied Genetics, 1998. 97: p. 834-846.
46. Simko, I., Haynes, K.; Jones, R. W., *Assessment of linkage disequilibrium in potato genome with single nucleotide polymorphism markers*. Genetics, 2006. 173: p. 2237-2245.
47. Simko, I.; Haynes, K. G.; Ewing, E. E.; Costanzo, S.; Christ, B. J.; Jones, R. W., *Mapping genes for resistance to *Verticillium albo-atrum* in tetraploid and diploid potato populations using haplotype association test and genetic linkage analysis*. Molecular Genetics and Genomics, 2004. 271: p. 522-531.
48. Soniia, D.; Wortmann, C. S. ; Kasozi, S.; Mughisha- Mutetikka, M., *La multiplication, la diffusion et l'impact d'une nouvelle variété. [Multiplication, diffusion and impact of a new variety]*. in 6. Seimaire regional sur l'amélioration du haricot dans la region des Grands Lacs. Kigali (Rwanda). 25-25 Jan 1991. Actes. Centro internacional de agricultura tropical, programme régional pour l'amélioration du haricot dans la région des Grands Lacs; Institut des Sciences Agronomiques du Rwanda, Butare (Rwanda). (CIAT African workshop series; no. 17). p.163-169. (60892).
49. Sowokinos, J.R., *An invited review: biochemical and molecular control of cold-induced sweetening in potatoes*. American Journal of Potato Research, 2001. 78: p. 221-236.
50. TAC-Secretariat, *Impact assessment of agricultural research: context and state of the art; revised version of a paper prepared by the impact assessment and evaluation group (IAEG) of the consultative group on international agricultural research (CGIAR), in*

- ASARECA / ECART / CTA workshop on impact assessment of agricultural research in eastern and central Africa (Uganda, 1999). 2000, FAO-Rome.
51. Tanksley SD, Ganal MW, Prince JP, de Vicente MC, Bonierbale MW, Broun P, Fulton TM, Giovanonni JJ, Grandillo S, Martin GB., *High density molecular linkage maps of the tomato and potato genomes*. Genetics 1992, 132:1141-1160.
 52. Tanksley, S. D.; Ganal, M. W.; Prince, J. P.; de Vicente, M. C.; Bonierbale, M. W.; Broun, P.; Fulton, T. M.; Giovanonni, J. J.; Grandillo, S.; Martin, G. B.; Messeguer, R.; Miller, J. C.; Miller, L.; Paterson, A. H.; Pineda, O.; Roder, M.; Wing, R. A.; Wu, W.; Young, N. D., *High density molecular linkage maps of the tomato and potato genomes*. Genetics, 1992. 132: p. 1141-1160.
 53. Thorup, T. A.; Tanyolac, B.; Livingstone, K. D.; Popovsky, S.; Paran, I.; Jahn, M., *Candidate gene analysis of organ pigmentation loci in the Solanaceae*. Proceedings of the National Academy of Sciences of the United States of America, 2000. 97(21): p. 11192-11197.
 54. USDA, Vegetables 2003 summary. 2004.
 55. van der Hoeven, R.; Ronning, C.; Giovannoni, J.; Martin, G.; Tanksley, S., *Deductions about the number, organization, and evolution of genes in the tomato genome based on analysis of a large expressed sequence tag collection and selective genomic sequencing*. Plant Cell, 2002. 14(7): p. 1441-1456.
 56. Van Deynze A, Stoffel K, Buell CR, Kozik A, Liu J, van der Knaap, E., Francis, D., *Diversity in conserved genes in tomato*. BMC Genomics, 2007. 8(1): p. 465.
 57. Van Deynze, A. E.; Douches, D.; De Jong, W.; Francis, D. , *Summary of Solanaceae coordinating meetings*. Acta Horticulturae, 2007. 745: p. 533-536.
 58. Van Deynze, A.; Douches, D.; De Jong, W. and Francis, D., *Summary of Solanaceae Coordinating Meetings*. Acta Hort. (ISHS) 2007. 745:533-536
 59. Van Deynze, AE; van der Knaap, E; Francis, D. M., *Development and application of an informative set of anchored markers for tomato breeding*, in Plant and animal genome XIV conference. 2006. San Diego, CA.
 60. van Os, H.; Andrzejewski, S.; Bakker, E.; Barrera, I.; Bryan, G.; Caromel, B.; Ghareeb, B.; Isidore, E.; de Jong, W.; van Koert, P.; Lefebvre, V.; Milbourne, D.; Ritter, E.; Rouppe van der Voort, J. N. A. M.; Rousselle-Bourgeois, F.; van Vliet, J.; Waugh, R.; Visser, R. G. F.; Bakker, J.; van Eck, H. J., *Construction of a 10,000 marker ultra-dense genetic recombination map of potato: providing a framework for accelerated gene isolation and a genome-wide physical map*. Genetics, 2006. 173: p. 1075-1087.
 61. Villand, J.; Skroch, P. W.; Lai, T.; Hanson, P.; Kuo, C. G.; Nienhuis, J., *A simple procedure for the analysis of single nucleotide polymorphisms facilitates map-based cloning in Arabidopsis*. Plant Physiology 2000. 124: p. 1483-1492.
 62. Villand, J.; Skroch, P. W.; Lai, T.; Hanson, P.; Kuo, C. G.; Nienhuis, J., *Genetic variation among tomato accessions from primary and secondary centers of diversity*. Crop Science, 1998. 38(5): p. 1339-1347.

63. Wu F, Eannetta NT, Xu Y, Durrett R, Mazourek M, Jahn MM, Tanksley SD, *A COSII genetic map of the pepper genome provides a detailed picture of synteny with tomato and new insights into recent chromosome evolution in the genus Capsicum*. Theor Appl Genet. 2009.
64. Wu F, Eannetta NT, Xu Y, Tanksley SD, *A detailed synteny map of the eggplant genome based on conserved ortholog set II (COSII) markers*. Theor Appl Genet. 2009, 118(5):927-935.
65. Yang, W ; Bai, X; Kabelka, E; Eaton, C ; Kamoun, S ; van der Knaap, E; D., Francis, *Discovery of single nucleotide polymorphisms in Lycopersicon esculentum by computer aided analysis of expressed sequence tags*. Molecular Breeding, 2004. 14: p. 21-24.
66. Yang, W.C. and D.M. Francis, *Marker-assisted selection for combining resistance to bacterial spot and bacterial speck in tomato*. Journal of the American Society for Horticultural Science, 2005. 130(5): p. 716-721.
67. Yu, J. M.; Pressoir, G.; Briggs, W. H.; Bi, I. V.; Yamasaki, M.; Doebley, J. F.; McMullen, M. D.; Gaut, B. S.; Nielsen, D. M.; Holland, J. B.; Kresovich, S.; Buckler, E. S., *A unified mixed-model method for association mapping that accounts for multiple levels of relatedness*. Nature Genetics, 2006. 38(2): p. 203-208.
68. Yu, J., Holland, J. B., McMullen, M. D., and E. S. Buckler, *Genetic design and statistical power of nested association mapping in maize*. Genetics, 2008. 178: p. 539-551.
69. Zerbino, DR.; Birney, E., *Velvet: algorithms for de novo short read assembly using de Bruijn graphs*. Genome Res. 2008 May;18(5):821-9. Epub 2008 Mar 18.

- URL 1 Carbohydrate Metabolism - Reference pathway;
<http://www.genome.ad.jp/kegg/pathway/map/map01110.html>
- URL 2 Comai, Chetelat and Van Deynze, USDA Proposal 2007-02747;
http://tilling.ucdavis.edu/index.php/Tomato_Tilling
- URL 3 Cornell Transnational Learning Website; <http://www.ctl1.com/>
- URL 4 Database of "Expressed Sequence Tags";
http://www.ncbi.nlm.nih.gov/dbEST/dbEST_summary.html
- URL 5 EU-SOL project; <http://www.eu-sol.net/>
- URL 6 Evrogen Homepage; <http://www.evrogen.com>
- URL 7 International Tomato Sequencing Project Home;
http://soldb.cit.cornell.edu/about/tomato_sequencing.pl
- URL 8 MiBASE Micro-Tom Database;
<http://www.kazusa.or.jp/jsol/microtom/index.html>
- URL 9 National Agricultural Statistics Service;
<http://www.nass.usda.gov/QuickStats/>
- URL 10 National Center for Biotechnology Information;
<http://www.ncbi.nlm.nih.gov/Traces/sra/sra.cgi>
- URL 11 PBGworks; <http://pbgworks.hort.oregonstate.edu/>

- URL 12 Rice Genome Resource Project at Michigan State University;
<http://rice.plantbiology.msu.edu>
- URL 13 Sequencing a Doubled Monoploid Potato;
<http://www.potatosequence.org/>
- URL 14 SNPs Mining from EST Data;
<http://www.bioinformatics.nl/tools/snpweb/>
- URL 15 SOL Genomics Network SGN, International Tomato Sequencing Project Home; http://sgn.cornell.edu/about/tomato_sequencing.pl
- URL 16 SOL Genomics Network SGN, Ontology;
<http://sgn.cornell.edu/tools/onto/>
- URL 17 SOL Genomics Network SGN; <http://sgn.cornell.edu/>
- URL 18 Solanaceae Coordinated Agricultural Project; <http://solcap.msu.edu>
- URL 19 Solanaceae Genomics Network at Michigan State University;
<http://solanaceae.plantbiology.msu.edu/>
- URL 20 TAIR AraCyc; <http://www.arabidopsis.org/biocyc/index.jsp>
- URL 21 The Potato Genome Sequencing Consortium;
<http://www.potatogenome.net/>
- URL 22 TIGR Solanaceae Genomics Resource: Solanaceae Simple Sequence Repeats (SSR) Summary Statistics;
http://www.tigr.org/tdb/sol/sol_SSR_summary.shtml
- URL 23 TIGR Solanaceae Genomics Resource: Solanaceae Single Nucleotide Polymorphisms (SNP);
http://www.tigr.org/tdb/sol/sol_SNP.shtml
- URL 24 Tomato Fruit Morphology Database; <http://164.107.85.47:8004/>
- URL 25 Tomato Genetics Research Center; <http://tgrc.ucdavis.edu>
- URL 26 Tomato Mapping Resource Database; <http://www.tomatomap.net>
- URL 27 TopHat; <http://tophat.cbcb.umd.edu/>
- URL 28 University of California Seed Biotechnology Center; <http://sbc.ucdavis.edu/>